


KaWe COMBILIGHT

PRODUKTSERIE | PRODUCT LINE


Beleuchtungsart | Type of illumination

C Standardbeleuchtung Standard illumination



- Standardbeleuchtung mit 2,5 V Vakuum-Lampe
- Standard illumination with 2.5 V vacuum lamp

F.O. Fiber Optik Fibre optics



LED / XENON
durch einfachen Lampenwechsel
by simply changing the bulb

- hochwertige Fiber Optik
- leistungsstarke 2,5 V / 3,5 V Xenon- oder 2,5 V / 3,5 V LED-Lampe
- high-quality fibre optics
- high-power 2.5 V / 3.5 V xenon or 2.5 V / 3.5 V LED bulb

Bringen Sie Licht ins Dunkle

Technisch ausgereift und jahrelang bewährt, setzt KaWe auch hier auf hervorragende Qualität und verbindet hochwertige Fiber Optik mit leistungsstarkem Xenonlicht wahlweise in 2,5 V oder 3,5 V für ein besonders helles und farbneutrales Licht. Selbstverständlich treffen Sie auch mit den Otoskopen der KaWe COMBILIGHT-Familie in der bewährten Standardausführung eine gute Wahl. Ein KaWe COMBILIGHT leuchtet Gehörgang und Trommelfell optimal aus und unterstützt Sie auf dem Weg zu einer sicheren Diagnose. Die Gehäusekonstruktion ist stabil und die Handhabung zuverlässig. Otoskope der KaWe COMBILIGHT-Familie zeichnen sich durch ein sehr gutes Preis-Leistungs-Verhältnis aus.

Bring light into the darkness

Technologically-mature and tested for years, here KaWe is also committed to excellence in quality and combines high-quality fibre optics with high-power 2.5V or 3.5V xenon light for especially bright and white light. It goes without saying that the selection of proven, standard KaWe COMBILIGHT otoscopes is also an excellent choice. The KaWe COMBILIGHT optimally illuminates the auditory canal and the eardrum and helps you make an accurate diagnosis. The housing is robust and they operate reliably. Otoscopes from the KaWe COMBILIGHT product line have an excellent cost/performance ratio.



Ladestation
Charging station

KaWe MedCharge 4000

KaWe COMBILIGHT

PRODUKTSERIE | PRODUCT LINE

KaWe COMBILIGHT Otoskope | Otopscopes

2,5 V

2,5 V				3,5 V			
1	C10	VL	-	4	F.O.30	XL	-
2	F.O.30	XL	-	5	F.O.30 LED hp	LED	-
3	F.O.30 LED	LED	-	6	F.O.30 (240V)	XL	-

Merkmale:

- optimale Lichtstärke (zentrisch)
- **Metallgriff 2,5 V mit 2 Funktionen** (ausgenommen Ladegriff für Steckdose und LED)
- Batteriegriff:** verwendbar mit 2 Batterien (Baby - Typ C, 1,5 V)
- Ladegriff:** verwendbar mit wieder-aufladbarer Ladebatterie (bei KaWe COMBILIGHT 2,5 V nicht im Lieferumfang enthalten)
- schwenkbare Lupe mit 3-facher Vergrößerung
- Anschluss für pneumatischen Test

Features:

- optimal light intensity (centric)
- **metal handle 2.5 V with dual mode** (except charging handle for electric outlet and LED)
- Battery handle:** to be used with 2 C batteries (1.5V)
- Charging handle:** suitable for rechargeable battery (not included with the KaWe COMBILIGHT 2.5 V)
- pivoting magnifying glass with 3-fold magnification
- Pneumatic test connection

KaWe COMBILIGHT C10

- Verschluss mit Schraube
- Vakuum-Lampe
- Metall-Batterie-/Ladegriff C
- Rheostat dimmbar
- 3 Dauer-Ohrtrichter Ø 2,5 / 3,5 / 4,5 mm
- in Tasche
- Batterien: 2 Baby (Typ C)

- fastening screw connection
- vacuum bulb
- metal battery/charging handle C
- dimmable rheostat
- 3 reusable ear funnels Ø 2.5 / 3.5 / 4.5 mm
- in pouch
- batteries: 2 C batteries



1 C10 | 2,5 V | VL |

REF 01.12110.001

Leuchtmittel | illuminant

REF 12.75111.013

F.O.
XENON

KaWe COMBILIGHT F.O.30

- Clic-Verschluss
- Xenon-Lampe
- Metall-Batterie-/Ladegriff C
- Rheostat dimmbar
- Einweg-Ohrtrichter 10 x Ø 2,5 mm
- 10 x Ø 4,0 mm
- in Tasche
- Batterien: 2 Baby (Typ C)

- click-on connection
- Xenon bulb
- metal battery/charging handle C
- dimmable rheostat
- disposable ear funnels 10 x Ø 2.5 mm
- 10 x Ø 4.0 mm
- in pouch
- batteries: 2 C batteries



2 F.O.30 | 2,5 V | XL |

REF 01.12330.001

Leuchtmittel | illuminant

REF 12.75144.013

F.O.
LED
standard

KaWe COMBILIGHT F.O.30 LED

- Clic-Verschluss
- LED-Lampe
- Metall-Batteriegriff C
- Einweg-Ohrtrichter 10 x Ø 2,5 mm, 10 x Ø 4,0 mm
- in Tasche
- Batterien: 2 Baby (Typ C)

- click-on connection
- LED bulb
- metal battery handle C
- disposable ear funnels 10 x Ø 2.5 mm, 10 x Ø 4.0 mm
- in pouch
- batteries: 2 C batteries



3 F.O.30 LED | 2,5 V | LED

REF 01.12530.002

Leuchtmittel | illuminant

REF 12.75153.003

aufladbar in Ladestation KaWe MedCharge 4000 in Verbindung mit Ladebatterie / rechargeable in KaWe MedCharge 4000 charging station with rechargeable battery

Batterien sind nicht im Lieferumfang enthalten! / Batteries are not included!

Ladebatterie im Lieferumfang enthalten / rechargeable battery is included

VL Vakuum-Lampe / vacuum bulb

XL Xenon-Lampe / xenon bulb

LED LED-Lampe / LED bulb

KaWe COMBILIGHT

PRODUKTSERIE | PRODUCT LINE

3,5V **F.O. XENON**

KaWe COMBILIGHT F.O.30 3,5 V

- Clic-Verschluss
- leistungsstarke 3,5 V Xenon-Lampe
- Metall-Ladegriff C
- Rheostat dimmbar
- Einweg-Ohrtrichter
10 x Ø 2,5 mm, 10 x Ø 4,0 mm
- inkl. Li-Ion Ladebatterie 3,5 V nur in Verbindung mit Ladestation KaWe MedCharge 4000 verwendbar
- in Tasche

- click-on connection
- high-power 3.5 V xenon bulb
- metal charging handle C
- dimmable rheostat
- disposable ear funnels
10 x Ø 2.5 mm, 10 x Ø 4.0 mm
- incl. 3.5 V Li-ion rechargeable battery (only to be used with KaWe MedCharge 4000 charging station)
- in pouch



4 F.O.30 | 3,5 V | XL |

REF 01.12430.101

Leuchtmittel | illuminant

REF 12.75241.003

3,5V **F.O. +LED high power**

KaWe COMBILIGHT F.O.30 LED 3,5 V

- Clic-Verschluss
- LED hp-Lampe
- Metall-Ladegriff C
- Einweg-Ohrtrichter
10 x Ø 2,5 mm, 10 x Ø 4,0 mm
- inkl. Li-Ion Ladebatterie 3,5 V nur in Verbindung mit Ladestation KaWe MedCharge 4000 verwendbar
- in Tasche

- click-on connection
- LED bulb
- metal charging handle C
- disposable ear funnels
10 x Ø 2.5 mm, 10 x Ø 4.0 mm
- incl. 3.5 V Li-ion rechargeable battery (only to be used with KaWe MedCharge 4000 charging station)
- in pouch



5 F.O.30 LED hp | 3,5 V | LED |

REF 01.12830.101

Leuchtmittel | illuminant

REF 12.75253.003

3,5V **F.O. XENON**

KaWe COMBILIGHT F.O.30 3,5 V

- Clic-Verschluss
- aufladbar in Steckdose (EU 240 V)
- leistungsstarke 3,5 V Xenon-Lampe
- Metall-Ladegriff C
- Rheostat dimmbar
- Einweg-Ohrtrichter
10 x Ø 2,5 mm, 10 x Ø 4,0 mm
- inkl. NiMH Ladebatterie 3,5 V
- in Tasche

- click-on connection
- rechargeable in electric outlet (EU 240 V)
- high-power 3.5 V xenon bulb
- metal charging handle C
- dimmable rheostat
- disposable ear funnels
10 x Ø 2.5 mm, 10 x Ø 4.0 mm
- includes 3.5 V NiMH rechargeable battery
- in pouch



6 F.O.30 | 3,5 V | XL | EU

REF 01.12430.811

Leuchtmittel | illuminant

REF 12.75241.003